

# SAFETY DATA SHEET ACTIVE

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name ACTIVE
Product number HLA28

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant. For professional use only. Disinfectants must be used responsibly in line with

manufacturer's instructions.

Uses advised against Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

#### 1.3. Details of the supplier of the safety data sheet

Supplier UK - Holchem Laboratories Ltd. Gateway House, Pilsworth Road,

Bury, BL9 8RD

Tel: +44 (0) 1706 222288; e-mail info@holchem.co.uk EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23

53332 Bornheim - Sechtem

# 1.4. Emergency telephone number

**Emergency telephone** Emergency Information:-

For accidents and spillages involving this product that pose a threat to the environment, or

human health, or require immediate first aid advice call:- +44(0) 1865 407333.

Note:- This number will not accept order queries or calls dealing with equipment breakdowns. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number) This product is registered with the Irish National Poison Centre (NPIC at Beaumont Hospital - Dublin). The Poison Centre can be contacted between 8am and 10pm, telephone +00353 1

8092566.

Shelflife In Months 24

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Met. Corr. 1 - H290

**Health hazards** Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT RE 2 - H373

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

## 2.2. Label elements

#### Hazard pictograms







Signal word Danger

# **ACTIVE**

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs (Respiratory tract) through prolonged or repeated

exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P313 Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with local regulations.

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, N-(3-AMINOPROPYL)-N-**Contains** 

DODECYLPROPANE-1,3-DIAMINE, SODIUM ARYL SULPHONATE

**Detergent labelling** 15 - < 30% EDTA and salts thereof, < 5% amphoteric surfactants, < 5% anionic surfactants, <

5% non-ionic surfactants

statements

**Supplementary precautionary** P404 Store in a closed container.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Note: "H290 May Be Corrosive to Metals" relates to the concentrated product. Note: H373 Relates only to neat product as delivered, it does not apply to use solutions. This product is not volatile and not intended for consumption, through normal use H373 is not expected to be a risk, but should be considered as part of a COSHH assessment

#### SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

# ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM

10 - < 20%

SALT

CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-

2119486762-27

Classification

Met. Corr. 1 - H290

Acute Tox. 4 - H302

Acute Tox. 4 - H332

Eye Dam. 1 - H318

STOT RE 2 - H373

#### **ACTIVE**

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-

1-5%

DIAMINE

CAS number: 2372-82-9

EC number: 219-145-8

REACH registration number: 01-

2119980592-29-XXXX

M factor (Acute) = 10

M factor (Chronic) = 1

Classification

Acute Tox. 3 - H301 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

SODIUM ARYL SULPHONATE

1-5%

CAS number: 1300-72-7

EC number: 215-090-9

REACH registration number: 01-

2119513350-56-XXXX

Classification

Eye Irrit. 2 - H319

**ALCOHOL ETHOXYLATE** 

<1%

CAS number: 68131-39-5 M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

**SODIUM HYDROXIDE** 

<1%

CAS number: 1310-73-2

EC number: 215-185-5

REACH registration number: 01-

2119457892-27

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

Composition comments

To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH. The Biocidally Active components of this product are supported in the Biocidal Products Regulation.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

# **ACTIVE**

**General information** For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove victim

immediately from source of exposure. However, consideration should be given as to whether

moving the victim will cause further injury.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. If breathing stops, provide

artificial respiration. Get medical attention if any discomfort continues.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the

side in the recovery position and ensure breathing can take place. Get medical attention.

**Skin contact** Remove contaminated clothing that is not stuck to the skin. Flush area with clean water.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention.

**Protection of first aiders**First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information Neat product will cause skin irritation and potentially permanent eye damage. Dilute product

will result in less severe damage to the eyes, but contact should be treated as per neat

chemical.

**Inhalation** Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose.

**Ingestion** Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, chemical

burning of mouth, throat and GI tract will occur. If dilute chemical is ingested some soreness

of the mouth, throat and GI tract may occur.

**Skin contact** Chemical burns are possible after prolonged contact. Use solutions may cause mild irritation,

especially to open cuts and abrasions.

**Eye contact** May result in permanent eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Contains Chelating Agents and Surfactants in Aqueous Solution. Rinse well with water to

neutral pH.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Mixing with Hypochlorite based chemicals could result in a dangerous heating of the solution

and evolution of Carbon Dioxide and Oxygen. Note - Comment refers to neat product. On

heating irritating fumes may be formed.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **ACTIVE**

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of

any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in

vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

#### 6.4. Reference to other sections

**Reference to other sections** See sections 8,12 & 13

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact. Refer to section 8. Read and follow manufacturer's

recommendations.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly closed. Store in a demarcated bunded area to prevent release to drains

and/or watercourses. Store in a cool and well-ventilated place. Store away from:- Acids.

Chlorinated Detergents and Disinfectants. Store between - 5 and 35 Degrees C

#### 7.3. Specific end use(s)

Specific end use(s) Disinfectant, refer to Product Information Sheet for full details.

**Usage description** This product is suitable for use in food preparation areas

# SECTION 8: Exposure controls/Personal protection

# 8.1. Control parameters

# ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT (CAS: 64-02-8)

**DNEL** Professional - Inhalation; Long term systemic effects: 1.5 mg/m³

PNEC - Fresh water; 2.86 mg/l

marine water; 0.286 mg/lIntermittent release; 1.56 mg/lSoil; 0.937 mg/kg, mg/kg dwt

- STP; 55.94 mg/kg

# N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE (CAS: 2372-82-9)

**DNEL** Professional - Inhalation; Long term systemic effects: 2.35 mg/m³

PNEC - Fresh water; 0.001 mg/l

marine water; 0.0001 mg/l
Sediment (Freshwater); 8.5 mg/l
Sediment (Marinewater); 0.85 mg/l

- Soil; 45.34 mg/l

# **ACTIVE**

# SODIUM ARYL SULPHONATE (CAS: 1300-72-7)

**DNEL** Workers - Dermal; Long term systemic effects: 136.25 mg/kg/day

Workers - Inhalation; Long term systemic effects: 26.9 mg/m³ Workers - Dermal; Long term local effects: 0.096 mg/cm²

General population - Inhalation; Long term systemic effects: 6.6 mg/m³ General population - Dermal; Long term systemic effects: 68.1 mg/kg General population - Dermal; Long term local effects: 0.048 mg/cm² General population - Oral; Long term systemic effects: 3.8 mg/kg/day

PNEC - Fresh water; 0.23 mg/l

marine water; 0.023 mg/lIntermittent release; 2.3 mg/l

Sediment, Fresh water; 0.862 mg/kgSediment, marine water; 0.0862 mg/kg

Soil; 0.037 mg/kgSTP; 100 mg/l

# SODIUM HYDROXIDE (CAS: 1310-73-2)

**DNEL** Industry - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>

DNEL data for Professional users is not yet available, but it is assumed to be the

same as for Industrial users.

Industry - Dermal; Short term local effects: 2%

PNEC No information is available for PNEC data for Sodium Hydroxide

#### 8.2. Exposure controls

# Protective equipment









Appropriate engineering controls

If use of this product generates dust, mists, vapours or fumes, process enclosures or local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits quoted in this msds or other data sources.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Nitrile Rubber of at least 0.4mm coating thickness with a breakthrough time of >240min. Refer to Standard EN 374 and EN 16523

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Provide eyewash station and safety shower.

#### **ACTIVE**

Respiratory protection In the case of dust or aerosol formation (eg spraying), or vapour from hot vessels, use

respiratory protection with an approved filter (P2).

**Environmental exposure** 

controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13. We believe that the disinfectant active component(s) of this formulation represent the greatest environmental risk. Information on these are given in section 12. Users of this product should consult local drainage and permitting authorities to ensure that any restrictions or discharge

consents are adhered to.

General Health and Safety

Measures.

The above information relates to the neat product. Recommended use solutions will be unclassified for health hazards, but use of gloves and eye protection is advised. A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Detergent.

Odour threshold Not applicable.

**pH** pH (diluted solution): 11.0 - 11.5 @ 1%

Melting point Not applicable.

Initial boiling point and range Approximately 95 - 105 Degrees C at Atmospheric Pressure.

Flash point Not applicable. Contains no Flammable Components

Evaporation rateNot applicable.Evaporation factorNot applicable.Flammability (solid, gas)Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 1.13 @ @ 20°C

Bulk density Not applicable.

Solubility(ies) Soluble in water.

**Partition coefficient** Not applicable. Technically not feasible. Not technically practical for mixtures.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not applicable.

Viscosity Not determined.

Explosive properties Not applicable.

Explosive under the influence

of a flame

Not considered to be explosive.

#### **ACTIVE**

Oxidising properties Does not meet the criteria for classification as oxidising. Not applicable. Contains no Oxidising

Components.

9.2. Other information

Refractive index Not applicable.

Particle size Not applicable.

Molecular weight Not applicable.

**Volatility** Not applicable.

Saturation concentration Not applicable.

Critical temperature Not applicable.

**Volatile organic compound** Not applicable.

Explosive Properties Not Classified as Explosive

Storage Temperature Range - 5 to 35 Degree C

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may

produce unexpected reactions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a

dangerous heating of the solution.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Do not mix with Hypochlorite based chemicals this could result in a hazardous reaction

producing heat, CO2 and O2.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. - See section 10.5.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 4,092.77

Acute toxicity - inhalation

ATE inhalation (dusts/mists

9.87

mg/l)

Respiratory sensitisation

**Respiratory sensitisation** No evidence of skin sensitisation for any component of this formulation.

Carcinogenicity

#### **ACTIVE**

Carcinogenicity The components of this formulation will not be systemically available in the body under normal

conditions of handling. As a consequence it is not expected to cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility The components of this formulation will not be systemically available in the body under normal

conditions of use and handling. As a consequence it is not expected to be toxic to the

reproductive system or developing foetus.

**General information** See section 4.2.

**Inhalation** Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose. - See section 4.2.

**Ingestion** Will cause severe irritation to mouth, throat and GI-Tract.

Skin contact Neat product may cause reddening of skin and with prolonged contact burns. Prolonged or

repeated contact of in use solutions with skin may cause redness, itching, irritation and eczema/chapping. Use solutions may cause mild irritation especially to open cuts and

abrasions.

**Eye contact** Risk of serious damage to eyes. May cause permanent eye injury.

# SECTION 12: Ecological information

**Ecotoxicity** This product is classified as very toxic to aquatic life, this refers to the neat product. Normal

use is not expected to pose a risk.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish

To the best of our current knowledge, the main ecotoxicological impact from this product is

due to N-(3-Aminopropy)-N-Dodecylpropane-1,3-Diamine, for which we have the following

information:-

N-(3-Aminopropy)-N-Dodecylpropane-1,3-Diamine:-

The EC50(48hr) value for Daphnia magna is 0.073mg/l. The NOEC(21d) value for Daphnia magna is 0.024mg/l. The LC50(96hr) value for Rainbow Trout) is 0.68mg/l. The ErC50(96hr) value for Green Algae is 0.054mg/l.

The toxicity to bacteria EC50(3hr) is 18mg/l activated sludge.

Note:- pH values greater than 10.5 may be fatal to fish and other aquatic organisms, there

may also be damage to aquatic plants.

Normal use of diluted product is unlikely to pose a risk.

# 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria

as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Not applicable. Technically not feasible. Not technically practical for mixtures.

12.4. Mobility in soil

**Mobility** The product contains substances which are water soluble and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

# **ACTIVE**

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered. Do not mix with other chemicals.

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times

comply with the requirements of environmental protection and waste disposal legislation and

any local authority requirements.

# **SECTION 14: Transport information**

## 14.1. UN number

**UN No. (ADR/RID)** 1903

**UN No. (IMDG)** 1903

**UN No. (ICAO)** 1903

**UN No. (ADN)** 1903

# 14.2. UN proper shipping name

Proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (CONTAINS

(ADR/RID)

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, N-(3-AMINOPROPYL)-N-

DODECYLPROPANE-1,3-DIAMINE)

Proper shipping name (IMDG) DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (CONTAINS

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, N-(3-AMINOPROPYL)-N-

DODECYLPROPANE-1,3-DIAMINE, ALCOHOL ETHOXYLATE)

Proper shipping name (ICAO) DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (CONTAINS

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, N-(3-AMINOPROPYL)-N-

DODECYLPROPANE-1,3-DIAMINE)

Proper shipping name (ADN) DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (CONTAINS

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, N-(3-AMINOPROPYL)-N-

DODECYLPROPANE-1,3-DIAMINE)

# 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

#### **ACTIVE**

#### Transport labels



# 14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II
ADN packing group III

#### 14.5. Environmental hazards

# Environmentally hazardous substance/marine pollutant



# 14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 1

Hazard Identification Number 88

(ADR/RID)

Tunnel restriction code (E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78** 

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH

legislation.

Also UK Biocides Regulations.

EU legislation European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and

Packaging of Substances and Mixtures.

Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal

products. [BPR]

# 15.2. Chemical safety assessment

Pcs Information A solution containing 4.5% wt/wt Triamine in aqueous solution. Authorisation holder Holchem

Laboratories Ltd. Soluble Concentrate. Use biocides safely and sustainably. It is illegal to use

this product for uses or in a manner other than prescribed on this label.

Ireland - For information or to report a poisoning incident contact the National Poisons

Information Centre (01 8092166). For professional use only.

#### **ACTIVE**

Pcs Number PCS No:- 94464

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008: EU Regulation on Classification, Labelling and Packaging of

Substances and Mixtures.

NPIS - National Poisons Information Service.

vPvB - Very Persistent, Very bioaccumulative.

PBT - Persistent, Bioaccumulative & Toxic.

REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC

1907/2006).

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

LC50 - Lethal Concentration 50 - The environmental contamination at which 50% mortality is

reached over a fixed time scale.

LD50 - Lethal Dose 50 - The dose at which 50% of the tested group will die.

Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled

trade premises.

General information PCS No:- 94464 This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the

customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.

**Revision comments** 

Amendment to the emergency phone number in Section 1.4.

Revision date

26/10/2021

Hazard statements in full

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs (Respiratory tract) through prolonged or repeated

exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

REACH extended MSDS

comments

REACH requires that persons handling chemicals should take the necessary risk

management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply

chain. These assessments are generally reported in Exposure Scenarios.

Where Exposure Scenarios have been provided for substances used in this product, the

relevent information is incorporated into the safety data sheet.

END OF SAFETY DATA SHEET

# **ACTIVE**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.