

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name	FOAM M
UFI :	CSDD-U08R-N00H-UP6A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the product

CHLORINATED ALKALI LIQUID
FOOD INDUSTRIES
FOAMING DISINFECTANT DETERGENT
BY FOAMING OR SPRAYING APPLICATION

1.3. Details of the supplier of the safety data sheet

Company identification

Out of hours Emergency Telephone Number +44 (0) 1865 407333
UK - Holchem Laboratories Ltd. Gateway House, Pilsworth Road,
Bury, BL9 8RD
Tel : +44 (0) 1706 222288; e-mail info@holchem.co.uk

EU - HYPRED SAS
55, Boulevard Jules Verger B.P 10180
35803 DINARD Cedex - FRANCE
Tél : +33 (0)2 99 16 50 00
Fax : +33 (0)2 99 16 50 20
e-mail : kersia@kersia-group.com

1.4. Emergency telephone number

Emergency phone number

Emergency direct number (24 hours a day, 7 days a week) : +44 1273 289451

CARECHEM 24
Tel. +44 1865 407333

For information or to report a poisoning incident contact The National Poisons Information Centre:
+353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week).
Healthcare Professionals:

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

+353 (1) 809 2566 (24 hour service)
NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Substance corrosive to metals - Category 1

Skin corrosion - Category 1B

Serious damage to eyes - Category 1

Hazardous to the aquatic environment –
Chronic - Category 2

EUH 031: Contact with acids liberates toxic gas.

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :
Danger

Contains : Potassium hydroxide+ Sodium hypochlorite+ Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Hazard statement(s) :

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H411: Toxic to aquatic life with long lasting effects.

EUH 031: Contact with acids liberates toxic gas.

Precautionary statement(s) :

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

P260: Do not breathe mist/vapours/spray.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.
P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

The mixture does not contain substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. in concentration greater than 0.1%.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : CHLORINATED ALKALI LIQUID

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.1.0**
Creation date : **13/08/18**
Revision: **02/08/24**
Print Date : 13/08/24

Substance(s)	CAS number(s)	EINECS number(s)	index	No registration REACH	Classification according to Regulation (EC) 1272/2008	SCL M-factor ATE	Type
1% <= Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides < 5%	308062-28-4	931-292-6		01-2119490061-47	Acute Tox. 4 (oral) H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	M Factor (Acute) 1	(1)
1% <= Sodium hypochlorite < 5%	7681-52-9	231-668-3	017-011-00-1	Biocidal active substance, regarded as already registered	Met. Corr. 1 H290 Skin Corr. 1B H314 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 EUH 031 Eye Dam. 1 H318	C ≥ 5% EUH 031 M Factor (Acute) 10 M Factor (Chronic) 1	(1)
0.5% <= Potassium hydroxide < 1%	1310-58-3	215-181-3	019-002-00-8	01-2119487136-33	Acute Tox. 4 (oral) H302 Skin Corr. 1A H314 Met. Corr. 1 H290	C ≥ 5% Skin Corr. 1A H314 2% ≤ C < 5% Skin Corr. 1B H314 0.5% ≤ C < 2% Skin Irrit. 2 H315 Eye Irrit. 2 H319	(1) (2)

Type

- (1) : Substance classified as hazardous for health and/or the environment
- (2) : Substance with an exposure limit at the work station.
- Substance of very high concern candidate for the authorisation procedure:
- (3) : Substance considered as PBT (persistent, bioaccumulable, toxic)
- (4) : Substance considered as vPvB (very persistent, very bioaccumulable)
- (5) : Substance considered as carcinogenic category 1A
- (6) : Substance considered as carcinogenic category 1B
- (7) : Substance considered as mutagenic category 1A
- (8) : Substance considered as mutagenic category 1B
- (9) : Substance considered as reprotoxic category 1A
- (10) : Substance considered as reprotoxic category 1B
- (11) : Substance considered as endocrine disrupter
- (12) : Other substance considered hazardous to health or the environment
- (N) : Nanomaterial

Full text of H- and EUH- phrases : see section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

Bring to fresh air.
Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

Take off immediately all contaminated clothing.
Wash immediately with plenty of water for 15 minutes at least.
Immediately call a POISON CENTER or doctor/physician.

In the event of contact with the eyes :
Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.
Remove contact lenses if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :
Rinse mouth.
Do NOT induce vomiting.
Send to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.
Risk of perforating digestive tracts.

Inhalation : May cause a respiratory system irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media :
CO₂, powder, pulverized water

Unsuitable extinguishing media :
None from our knowledge.

5.2. Special hazards arising from the substance or mixture

FOAM M is non-flammable.
However, in contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.

5.3. Advice for firefighters

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

Wear independent respiratory equipment and protective suit.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location.
Keep people upwind and away from the location of the flow/leak.
Use personal protection equipment.

6.2. Environmental precautions

Intervention limited to trained staff.
Do not discharge the product directly to sewer or to environment.
Take as soon as possible all incompatible materials away.

6.3. Methods and material for containment and cleaning up

Small spillage :
Pump in a reservoir of help.

Large spillage :
Mark out, soak up with an inert absorbant and pump in an emergency tank.
Never return spills in original containers for re-use.
Keep in suitable, properly labelled and closed containers for disposal.

6.4. Reference to other sections

Respect protective measures presented at heading 8.
Refer to section 13 for the elimination.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not breathe vapour.
Avoid contact with skin, eyes and clothing.
Do not breathe spray.
Do not eat, drink or smoke in work area. Avoid projections during use.
Do not mix with an acid.
Take off immediately all contaminated clothing.
Operate in a well ventilated place.

7.2. Conditions for safe storage, including any incompatibilities

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.1.0**
Creation date : **13/08/18**
Revision: **02/08/24**
Print Date : 13/08/24

7.2.1. Storage :

Keep only in the original container.
Keep container closed.
Keep in a cool place.
Keep away from products sensitive to chlorinated alkalis.

7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

7.3. Specific end use(s)

FOAM M is for use as a biocide.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

Substance	CAS number	Country	Type	Value	Unit	Comments	source
Chlorine	7782-50-5	EU	OEL Short term	0,5	ppm	Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)	International limit values for chemical agents
				1,5	mg/m ³	Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)	International limit values for chemical agents
Potassium hydroxide	1310-58-3	IRL	OEL Short term	2	mg/m ³		International limit values for chemical agents Health and Safety Authority
Nitrogen trichloride	10025-85-1	FRA	VLCT Short term	1,5	mg/m ³	Valeur limite de confort déterminée par l'INRS	
			VLEP 8h	0,8	mg/m ³	Valeur limite de confort déterminée par l'INRS	

8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

8.2.1. Appropriate engineering controls :


Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN ISO 16321-1 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of preferred materials for insulating gloves:

Butyl rubber.

Nitrile rubber.

Do not wear polyvinyl alcohol (PVA) gloves.



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

During handling operations that cause vapours to form, wear a full mask compliant with standard EN 136 fitted with a filter (compliant with standard EN 141 or EN 14387) of type:

B: Inorganic gases and vapors.

During applications that cause aerosols to form, wear a half-mask in compliance with the European standard EN 140 or a complete mask in conformity with the European standard EN 136 equipped with a filter (in conformity with the European standard EN 143) of the following type:

P2: Particles, solid aerosols and liquids

It is possible to combine the anti-vapor filters and anti-aerosols.



Thermal hazards :

Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace.

FOAM M
 Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.1.0**
 Creation date : **13/08/18**
 Revision: **02/08/24**
 Print Date : 13/08/24

After using, wash systematically all personal protective equipment.

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear to slight opalescent liquid
Colour	Yellowish
Odour	Not available
Odour threshold	Not available
Freezing point	Not available
Melting point	Not applicable
Boiling point	Not available
Flammability	Not applicable
Lower explosive limit	Not applicable
upper explosive limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Pure pH	Not available
pH value at 10g/l	10.5
kinematic viscosity	Not available
Solubility in water	Soluble in water in all proportions
Solubility	Not applicable
Partition coefficient: n-octanol/water	Not available
Vapour pressure	Not available
Mass density	1.09 g/cm ³
Relative density	1.09
Vapour density	Not applicable
Particle characteristics	Not applicable

9.2. Other information

Explosive properties	Not applicable
Oxidising properties	Not applicable
Viscosity	Not available
Evaporation rate:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Hazards linked to exothermic reactions.

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reactions with acids.

10.4. Conditions to avoid

Light, heat.

10.5. Incompatible materials

Light metals and/or colored.
Acids.

10.6. Hazardous decomposition products

Contact with acids liberates gaseous chlorine.
In contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) N°1272/2008

Substance-related data:

Acute toxicity

Potassium hydroxide : LD 50 - oral rat (OECD 425): 333 - 388 mg/kg bw. Harmful if swallowed. - MSDS supplier
Sodium hypochlorite : LD 50 - oral rat > 2,000 mg/kg. - solutions, 12%< active chlorine<16% - MSDS supplier
Sodium hypochlorite : LD 50 - dermal rabbit > 2,000 mg/kg. - solutions, 12%< active chlorine<16% - MSDS supplier
Potassium hydroxide (50%) : LD 50 - oral 333 - 388 mg/kg. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LD 50 - oral rat 1,064 mg/kg. - MSDS supplier

Skin corrosion/irritation

Sodium hydroxide + Sodium hypochlorite : Skin irritation . Corrosive. - MSDS supplier
Potassium hydroxide (50%) : Skin irritation . Causes severe burns. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Cutaneous contact . Irritating - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Skin corrosion/irritation rabbit (OECD 404): . Irritating - MSDS supplier

Serious damage to eyes/eye irritation

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Eye irritation . Risk of serious damage of eyes - MSDS supplier
Sodium hydroxide + Sodium hypochlorite : Eye irritation . Corrosive. - MSDS supplier
Potassium hydroxide (50%) : Serious damage to eyes/eye irritation . Serious damage to eyes - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Serious damage to eyes/eye irritation rabbit (OECD 405): . Causes burns. - MSDS supplier

Mix-related data:

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

Acute toxicity
. Not determined

Skin corrosion/irritation
Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH.

Serious damage to eyes/eye irritation
Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory / skin sensitisation
Skin sensitisation . The mixture is not considered as a skin sensitizer according to 1272/2008/EC Regulation.
Respiratory sensitisation . The mixture is not considered as a respiratory sensitizer according to 1272/2008/EC Regulation.

Mutagenicity
. based on available data, the classification criteria are not met.

Carcinogenicity
. based on available data, the classification criteria are not met.

Reproductive toxicity
. based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure
. based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure
. based on available data, the classification criteria are not met.

Aspiration hazard
. based on available data, the classification criteria are not met.

Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.
Risk of perforating digestive tracts.

Inhalation : May cause a respiratory system irritation.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Not concerned

SECTION 12: ECOLOGICAL INFORMATION

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

Acute toxicity

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : EC 50 - 48h daphnia 3.1 mg/L. - MSDS supplier
Sodium hypochlorite : EC 50 - 48h Aquatic invertebrates 0.01 - 0.1 mg/L. - solutions, 12%< active chlorine<16% - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 algae 0.143 mg/L. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 - 96h fishes 2.67 mg/L. - MSDS supplier

Chronic toxicity

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : NOEC algae 0.067 mg/L. - MSDS supplier

Degradability

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Biodegradability . Easily biodegradable. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Biodegradability - 28days (OECD 301 D): > 90 %. Easily biodegradable. - MSDS supplier

Mix-related data:

Acute toxicity

LC 50 - 96h fishes . The acute toxicity test on fish was not performed to minimise the tests on vertebrates.
EC 50 - 48h daphnia (OECD 202): > 1 mg/L. The product has not been tested. The information comes from structure or analogue composition products.
EC 50 - 72h algae . An acute toxicity test for algae is not relevant: sodium hypochlorite cannot be tested under constant light (mandatory test condition).

Chronic toxicity

. No data available.

Degradability

. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

Bioaccumulation

. No data available.

Mobility

. No data available.

Conclusion :

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6 Endocrine disrupting properties

Not concerned

12.7. Other adverse effects

No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: TRANSPORT INFORMATION

ROAD TRANSPORT: Rail/Route (RID/ADR)

14.1 UN number or ID number : 1719

14.2 UN proper shipping name :


CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hypochlorite + Potassium hydroxide)

14.3 Transport hazard class(es) : 8

14.4 Packing group : II

Hazard identification number : 80

Label : 8



Tunnel code : (E)

14.5 Environmental hazards : Yes (Sodium hypochlorite)

14.6 Special precautions for user : No information.

Limited Quantity (QL): 1L

MARITIME TRANSPORT : IMDG

14.1 UN number or ID number :1719


14.2 UN proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hypochlorite + Potassium hydroxide)

14.3 Transport hazard class(es) : 8

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24



14.4 Packing group : II

14.5 Environmental hazards
Marine pollutant : Yes (Sodium hypochlorite)

14.6 Special precautions for user : No information.
EmS number : F-A, S-B

Limited Quantity (QL): 1L

14.7 Maritime transport in bulk according to IMO instruments : Not concerned

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n°528/2012 concerning the making available on the market and use of biocidal products :
Active ingredient: Sodium Hypochlorite, expressed in active chlorine

Regulations relating to the hazards from major accidents :
SEVESO 3 Directive (2012/18/EC) : E2

Regulations relating to the classification, packaging and labelling of substances and mixtures :
Regulation (EC) 1272/2008 amended.

Waste regulations :
2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC
Decision 2014/955/EC which establishes the list of hazardous waste.

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals : Not concerned

Protection of workers :
Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EU) 2019/1021 of 20 June 2019 on persistent organic pollutants : Not applicable

Regulation (EC) 1005/2009 amended on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors:

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

Not concerned

Regulation (EC) 648/2004 :

In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.

Ingredient datasheet for the medical staff is available upon written request.

Contains :

< 5% Phosphonates, Non-ionic surfactants, Chlorine-based bleaching agents

Disinfectants

Comply with national and local legislation.

UN Globally Harmonised System (GHS) on Classification and Labelling of Chemical (GB CLP - SI 2020 No. 1567) and UK REACH (SI 2020 No. 1577)

15.2. Chemical safety assessment

This safety data sheet has been drafted taking into account the information from exposure scenarios for the substances making up the mixture.

SECTION 16: OTHER INFORMATION

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version :

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

List of H phrases referred to in section 3 :

H314 : Contact with acids liberates toxic gas.

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

FOAM M
Code: 029B0

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.1.0
Creation date : 13/08/18
Revision: 02/08/24
Print Date : 13/08/24

H335 : May cause respiratory irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet :
MSDS supplier
International limit values for chemical agents

Health and Safety Authority

Historical :
Version 7.1.0
Cancels and replaces previous version 7.0.1