



## SAFETY DATA SHEET ULTRA CASK

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** ULTRA CASK  
**Product number** HLU10

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Detergent. For professional use only.  
**Uses advised against** Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** UK - Holchem Laboratories Ltd. Gateway House, Pilsworth Road,  
Bury, BL9 8RD  
Tel : +44 (0) 1706 222288; e-mail info@holchem.co.uk  
EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23  
53332 Bornheim - Sechtem

#### 1.4. Emergency telephone number

**Emergency telephone** Emergency Information:-  
For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 1865 407333.  
Note:- This number will not accept order queries or calls dealing with equipment breakdowns.  
This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

#### 2.2. Label elements

**Hazard statements** NC Not Classified

**Precautionary statements** P262 Do not get in eyes, on skin, or on clothing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/ attention.  
P404 Store in a closed container.

**Supplemental label information** EUH210 Safety data sheet available on request.

**Supplementary precautionary statements** P501 Dispose of contents/ container in accordance with national regulations.

## ULTRA CASK

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

|                             |  |
|-----------------------------|--|
| <b>MONOPROPYLENE GLYCOL</b> | <b>1 - &lt;5%</b>                                |
| CAS number: 57-55-6         | EC number: 200-338-0                             |
|                             | REACH registration number: 01-2119456809-23-XXXX |

**Classification**

Not Classified

|   |   |
|---|---|
| <b>Alanine, N,N-bis(carboxymethyl) - trisodium salt</b> | <b>1-4%</b>                                 |
| CAS number: —   | REACH registration number: 01-0000016977-53 |

**Classification**

Met. Corr. 1 - H290

|                                 |  |
|---------------------------------|--|
| <b>Alkylamine Dicarboxylate</b> | <b>&lt;1%</b>                                    |
| CAS number: 90170-42-6          | REACH registration number: 01-2119980675-23-0000 |

**Classification**

Not Classified

The full text for all hazard statements is displayed in Section 16.

**Composition comments**      To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                   |  |
|-----------------------------------|--|
| <b>General information</b>        | When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury. For immediate First Aid advice in the UK, dial 111.                               |
| <b>Inhalation</b>                 | Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues. |
| <b>Ingestion</b>                  | Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the side in the recovery position and ensure breathing can take place. Get medical attention.   |
| <b>Skin contact</b>               | Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.   |
| <b>Eye contact</b>                | Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.  |
| <b>Protection of first aiders</b> | First aid personnel should wear appropriate protective equipment during any rescue.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

# ULTRA CASK

|                            |   |
|----------------------------|---|
| <b>General information</b> | Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort.   |
| <b>Inhalation</b>          | Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.  |
| <b>Ingestion</b>           | Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes. Similar but less severe symptoms will be seen if dilute chemical is ingested. |
| <b>Skin contact</b>        | Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Use solutions may cause mild irritation, especially to open cuts and abrasions.   |
| <b>Eye contact</b>         | May cause redness and irritation (stinging sensation) to eyes.  |

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** Contains Chelating Agents, Surfactants and Mono Propylene Glycol in Aqueous Solution.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

**Suitable extinguishing media** The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards** On heating irritating fumes may be formed.

#### **5.3. Advice for firefighters**

**Protective actions during firefighting** Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### **6.2. Environmental precautions**

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

#### **6.4. Reference to other sections**

**Reference to other sections** See sections 8, 12 & 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

**Usage precautions** Refer to section 8. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations.

#### **7.2. Conditions for safe storage, including any incompatibilities**

## ULTRA CASK

**Storage precautions** Keep container tightly closed. Store in a demarcated bunded area to prevent release to drains and/or watercourses. This product is tested for stability to -5 Degrees C. However, we recommend long term storage in a frost protected environment.

### 7.3. Specific end use(s)

**Specific end use(s)** Detergent, refer to Product Information Sheet for full details.

**Usage description** This product is suitable for use as a detergent in Breweries and other high care environments. It is not suitable for direct contact with food stuffs. After use surfaces should be rinsed.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### **MONOPROPYLENE GLYCOL**

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m<sup>3</sup> vapour

Long-term exposure limit (8-hour TWA): 10 mg/m<sup>3</sup> particulates

WEL = Workplace Exposure Limit.

**Ingredient comments** Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non-hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

#### MONOPROPYLENE GLYCOL (CAS: 57-55-6)

**DNEL** Professional - Inhalation; Long term systemic effects: 168 mg/m<sup>3</sup>  
Professional - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>

**PNEC** - Fresh water; 260 mg/l  
- marine water; 26 mg/l  
- Sediment (Freshwater); 572 mg/l  
- Sediment (Marinewater); 57.2 mg/l  
- Soil; 50 mg/kg dwt  
- STP; 20000 mg/l

#### Alanine, N,N-bis(carboxymethyl) - trisodium salt

**DNEL** Professional - Inhalation; Short term systemic effects: 40 mg/m<sup>3</sup>  
Professional - Inhalation; Short term local effects: 40 mg/m<sup>3</sup>  
Professional - Inhalation; Long term local effects: 4 mg/m<sup>3</sup>

**PNEC** - Fresh water; 2 mg/l  
- STP; 100 mg/l  
- Soil; 2.5 mg/kg  
- marine water; 0.2 mg/l  
- Intermittent release; 1 mg/l

#### Alkylamine Dicarboxylate (CAS: 90170-42-6)

## ULTRA CASK

|             |   |
|-------------|---|
| <b>DNEL</b> | Professional - Inhalation; Long term systemic effects: 97.8 mg/m <sup>3</sup><br>Professional - Dermal; Long term systemic effects: 13.9 mg/kg bw/day   |
| <b>PNEC</b> | - Fresh water; 0.481 mg/l<br>- marine water; 0.0481 mg/l<br>- Intermittent release; 1 mg/l<br>- Sediment (Freshwater); 5.92 mg/kg<br>- Sediment (Marinewater); 0.592 mg/kg<br>- STP; 2.46 mg/l<br>- Soil; 0.901 mg/kg |

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

#### Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

#### Eye/face protection

Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection.

#### Hand protection

The expected use of this product is such that gloves with a breakthrough time of >60 minutes should be regarded as sufficient. Gloves should be inspected regularly for damage and replaced when necessary. Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374 and EN 16523

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

#### Hygiene measures

Provide eyewash station and safety shower. Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin.

#### Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.

#### Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

#### General Health and Safety Measures.

A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                   |                           |
|-------------------|---------------------------|
| <b>Appearance</b> | Clear liquid.             |
| <b>Colour</b>     | Colourless to Pale Yellow |
| <b>Odour</b>      | Faint Detergent.          |

## ULTRA CASK

|   |   |
|---|---|
| <b>pH</b>   | Concentrated pH = 11 - 11.4.  |
| <b>Melting point</b>                                | Not applicable.   |
| <b>Initial boiling point and range</b>              | Not applicable.   |
| <b>Flash point</b>                                  | Not applicable. Contains no Flammable Components  |
| <b>Evaporation rate</b>                             | Not applicable.   |
| <b>Evaporation factor</b>                           | Not applicable.   |
| <b>Flammability (solid, gas)</b>                    | Not applicable.   |
| <b>Upper/lower flammability or explosive limits</b> | Not applicable.   |
| <b>Vapour pressure</b>                              | Not applicable.   |
| <b>Vapour density</b>                               | Not applicable.   |
| <b>Relative density</b>                             | 1.03 @20 Degrees C  |
| <b>Bulk density</b>                                 | Not applicable.   |
| <b>Solubility(ies)</b>                              | Soluble in water.   |
| <b>Partition coefficient</b>                        | Not applicable. Technically not feasible.   |
| <b>Auto-ignition temperature</b>                    | Not applicable.   |
| <b>Decomposition Temperature</b>                    | Not applicable.   |
| <b>Viscosity</b>                                    | Not determined.   |
| <b>Explosive properties</b>                         | Not applicable.   |
| <b>Explosive under the influence of a flame</b>     | Not considered to be explosive.   |
| <b>Oxidising properties</b>                         | Does not meet the criteria for classification as oxidising. Not applicable. Contains no Oxidising Components. |
| <b><u>9.2. Other information</u></b>                |   |
| <b>Refractive index</b>                             | Not applicable.   |
| <b>Particle size</b>                                | Not applicable.   |
| <b>Molecular weight</b>                             | Not applicable.   |
| <b>Volatility</b>                                   | Not applicable.   |
| <b>Saturation concentration</b>                     | Not applicable.   |
| <b>Critical temperature</b>                         | Not applicable.   |
| <b>Volatile organic compound</b>                    | Not applicable.   |
| <b>Explosive Properties</b>                         | Not Classified as Explosive   |
| <b>Storage Temperature Range</b>                    | Store below 40 Degrees C. Stable to -5 Degrees C, but frost protection is recommended.                        |

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

## ULTRA CASK

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Refer to section 10.1.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with acids. Do not mix with Hypochlorite based chemicals this could result in a hazardous reaction producing heat, CO<sub>2</sub> and O<sub>2</sub>. This product is not compatible with copper or its alloys, slow dissolution of the metal will occur.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. - See section 10.5.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Respiratory sensitisation

**Respiratory sensitisation** No evidence of respiratory sensitisation for any component of this formulation.

#### Skin sensitisation

**Skin sensitisation** No evidence of skin sensitisation for any component of this formulation.

#### Carcinogenicity

**Carcinogenicity** The components of this formulation will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.

#### Reproductive toxicity

**Reproductive toxicity - fertility** The components of this formulation will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or developing foetus.

#### General information

See section 4.2.

#### Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

#### Ingestion

Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.

#### Skin contact

Under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Long exposure may result in skin dryness.

#### Eye contact

May cause temporary eye irritation.

### Toxicological information on ingredients.

#### Alanine, N,N-bis(carboxymethyl) - trisodium salt

#### Acute toxicity - oral

## ULTRA CASK

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 4,000.0

**Species** Rat

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 4,000.0

**Species** Mouse

### SECTION 12: Ecological information

**Ecotoxicity** This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Normal use is unlikely to pose a risk to the environment.

#### 12.1. Toxicity

##### Acute aquatic toxicity

**Acute toxicity - fish** This mixture is not classified as toxic to aquatic organisms. Normal use of diluted product is unlikely to pose a risk. See note 12.0.

#### Ecological information on ingredients.

##### Alanine, N,N-bis(carboxymethyl) - trisodium salt

##### Acute aquatic toxicity

**Acute toxicity - fish** There is a high probability that this material is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: >100 mg/l, Daphnia magna

##### Alkylamine Dicarboxylate

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 100 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 100 mg/l, Daphnia magna

#### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Not expected to bioaccumulate.

**Partition coefficient** Not applicable. Technically not feasible.

#### Ecological information on ingredients.

##### Alanine, N,N-bis(carboxymethyl) - trisodium salt

**Bioaccumulative potential** Not expected to bioaccumulate.



# ULTRA CASK

## Alkylamine Dicarboxylate

Partition coefficient : 0.07

### 12.4. Mobility in soil

**Mobility** The product contains substances which are water soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**General information** When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals.

**Disposal methods** Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Small volumes of use solution can be disposed of to sewers.

## **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## ULTRA CASK

|                             |  |
|-----------------------------|--|
| <b>National regulations</b> | UK Adoption and Implementation of the UN Globally Harmonised System (GHS) on Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH legislation.                         |
| <b>EU legislation</b>       | European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and Packaging of Substances and Mixtures.<br>Also considered is the REACH Regulation (EC) No.1907/2006 (as amended). |

### 15.2. Chemical safety assessment

#### **Pcs Information**

No chemical safety assessment has been carried out.

### SECTION 16: Other information

|   |  |
|---|--|
| <b>Abbreviations and acronyms used in the safety data sheet</b> | (EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.<br>NPIS - National Poisons Information Service.<br>vPvB - Very Persistent, Very bioaccumulative.<br>PBT - Persistent, Bioaccumulative & Toxic.<br>REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006).<br>DNEL - Derived No Effect Limit.<br>PNEC - Predicted No Effect Concentration.<br>COSHH - Control of Substances Hazardous to Health.<br>Industry - Refers in section 8 to application of the substance in an industrial process.<br>Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises. |
| <b>General information</b>                                      | This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.  |
| <b>Revision comments</b>  | Amendment to the emergency phone number in Section 1.4.  |
| <b>Revision date</b>  | 28/10/2021   |
| <b>SDS number</b>   | 25880  |
| <b>Hazard statements in full</b>                                | H290 May be corrosive to metals.   |
| <b>REACH extended MSDS comments</b>                             | REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios.<br>Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.  |

#### **END OF SAFETY DATA SHEET**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.